

DOCUMENT SCAN CONTROL SHEET

Document ID 511033

EPA # 228-459

EPA #
For SLN

Product MENACE 2.4% ME INSECTICIDE
Name

Accepted
Date 5/2/2007

Document
Type PRILAB

Registration ID 119468

MENACE™ 2.4% ME

INSECTICIDE



- DO NOT USE INSIDE DWELLINGS
- FOR USE AROUND EXISTING STRUCTURES, NOT FOR PRE-CONSTRUCTION USE
- OUTDOOR HOMEOWNER POST-CONSTRUCTION USE ONLY
- KILLS CARPENTER ANTS
- KILLS ON CONTACT (GUARANTEED)
- TREATS UP TO 10,600 SQ. FT.
- 1 QUART MAKES 64 GALLONS FOR BROADCAST INSECT APPLICATION
- CONTROLS/KILLS WOOD-DESTROYING INSECTS
- ALSO KILLS TICKS THAT MAY TRANSMIT LYME DISEASE

ACTIVE INGREDIENT:

Bifenthrin*

2.4%

OTHER INGREDIENTS:

97.6%

TOTAL:

100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum.

MENACE 2.4% ME should be shaken well before use.

Specially formulated for residential use.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-459
EPA EST. NO.

MANUFACTURED BY
NUFARM AMERICAS INC.
BURR RIDGE, IL 60527



NET 32 Fluid Ounces (1 Quart) 946mL

000228-00459.20070427.NY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco..

FIRST AID (Pyrethroid)	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER (Pyrethroid)	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
This product is a pyrethroid. If large amounts have been ingested, the stomach and intestine should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils and alcohol may increase absorption and so should be avoided.	

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish, and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops and weeds. Do not allow this product to drift to blooming crops if bees are visiting the treatment area.

An easy to apply product to control wood-destroying, home-invading and lawn insects.

This product should be shaken well before use.

Product Facts	
Treats up to 10,600 sq. ft.	
KILLS INSECTS	Termites, carpenter ants and other insects including argentine ants, boxelder bugs, carpenter bees, chinch bugs, clover mites, crickets, elm leaf beetles, firebrats, fleas, grasshoppers, German cockroaches, harvester ants, sod webworms, millipedes, mole crickets, mosquitoes, pharaoh ants, scorpions, spiders, termites (workers and winged), and ticks
WHERE TO USE	Lawns, porches, patios, foundations, wood piles and stored lumber
AMOUNT TO USE	Pests: 0.5 fl. oz. (1 Tbs.) per gallon of water sprayed over 167 sq. ft.
HOW TO APPLY	Easy to apply with Ortho Dial 'N Spray, or Ortho Lawn & Garden tank sprayer.
Questions, Comments or Medical Information call 1-877-325-1840.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

People and pets may enter treated area after application has dried.

This insecticide/miticide is a high-performance product. This product has a long residual, providing up to 16 weeks control of Cockroaches and up to 12 weeks of other pests.

This product is:

- Virtually odor-free

- Fast-acting
- Water-based
- Easy-to-use
- Non-staining
- Broad-spectrum
- Kills Ants, Earwigs, Fleas, Insects, Mites, Roaches, Silverfish, Spiders, Ticks & Other Listed Pests
- For Outdoor Use Only

1 Tablespoon (Tbs.) = 3 teaspoons (tsp.); 1 fl. oz. = 2 Tbs.; 4 fl. oz. = 1/2 cup. Do not use household utensils to measure this product.

CARPENTER ANTS, CARPENTER BEES, WOOD-DESTROYING BEETLES, AND OTHER HOME-INVADING PESTS (OUTDOORS)

Ants (including Carpenter ant, red harvester, pavement, odorous pyramid, Argentine and pharaoh) carpenter bees, beetles, boxelder bugs, centipedes, chiggers, crickets, earwigs, firebrats, fleas, German cockroaches, house flies, hornets, millipedes, scorpions, silverfish, sowbugs, spiders (including black widow and brown recluse), springtails, ticks, wasps, wood-destroying beetles, and yellow jackets – **OUTDOORS**

For use against hornets, wasps and yellow jackets: Application should be made in the late evening when insects are at rest. Aim spray at nest openings in ground, bushes and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible.

MIXING INSTRUCTIONS for Home-Invading Pests

AMOUNT TO USE

When using a tank sprayer

- 0.5 fl. oz. (1 Tbs.) per gallon of water to be sprayed over 167 sq. ft.

When using the Ortho® Dial 'N Spray®

1. Set dial to 0.5 fl. oz.
2. Add 3.2 fl. oz. (6-1/2 Tbs.) to sprayer jar. **DO NOT** add water.
3. Spray evenly over 1,000 sq. ft. until jar is empty.

Treatment For Wood-Destroying Pests (Outdoors)

Localized Areas Outdoors: For the control of insects such as termites, ants, carpenter ants, and wood-infesting beetles such as Old House Borer and Powder Post in localized areas of infested wood around structures, apply emulsion to voids and galleries in damaged wood and in spaces between wooden members of a structure and between wood and foundations where wood is vulnerable. Paint on or fan spray applications may also be used.

HOW TO APPLY

Wood Treatment

- Fences and Outdoor Wood Surfaces of Buildings: Apply evenly on wood surfaces. Allow to dry and repeat to ensure the insecticide soaks into the wood.
- Wood Piles and Stored Lumber: Use a Dial 'N Spray or Ortho garden tank sprayer or a sprinkling can to deliver a coarse drenching spray. Treated wood can be burned or used for building one month after treatment.

Perimeter Treatment

- To keep insects from entering the house, use a hose-end or tank sprayer to spray a 3 to 10 foot band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 to 3 feet. House siding may be treated if pests such as gypsy moth adults and caterpillars, boxelder bugs, elm leaf beetles, earwigs, or silverfish are present.

LAWN PESTS (OUTDOORS)

For above the ground insects including armyworms, chiggers, chinch bugs, clover mites, crickets, cutworms, dichondra flea beetles, earwigs, fleas, grasshoppers, sod webworms, ticks – **OUTDOORS**

For below the ground insects including mole crickets and European crane flies – **OUTDOORS**

MIXING INSTRUCTIONS for Lawn Pests

AMOUNT TO USE

When using a tank sprayer

- 0.5 fl. oz. (1 Tbs.) per gallon of water to be sprayed over 167 sq. ft.

When using the Ortho® Dial 'N Spray®

1. Set dial to 0.5 fl. oz.
2. Add 3.2 fl. oz. (6-1/2 Tbs.) to sprayer jar.
3. **DO NOT** add water.
4. Spray evenly over 1,000 sq. ft. until jar is empty.

HOW TO APPLY

- Measure lawn. Calculate square feet by multiplying length times width.
- Spray evenly over measured lawn. Treat entire lawn.

WHEN TO REAPPLY

- Repeat application is necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

MOSQUITOES (OUTDOORS)

Mosquitoes coming to rest on areas treated for the control of lawn and home-invading pests will be killed for varying periods of time after application, depending on exposure of treated areas to environmental conditions.

For Ant and Fire Ant Mounds use this product as a Drench Method

Apply 1-2 gallons of emulsion to each mound area by sprinkling the mound until it is wet and treat a 4-foot diameter circle around the mound. Use the higher volume for mounds larger than 12". For best results, apply in cool weather, such as in early morning or late evening hours, but not in the heat of the day. Treat new mounds as they appear.

IMPORTANT

DO NOT treat structures that contain cisterns, wells, french drains or sump systems. Soil in the vicinity of wells, cisterns or ponds should not be treated. For those situations, contact your County Cooperative Extension Agent or consult a commercial pest control service. DO NOT treat soil that is water saturated or frozen, or in any conditions where run-off or movement from the treatment area (site) is likely to occur. DO NOT apply while it is raining. DO NOT use on pets. DO NOT use on edible or ornamental plants. Spray drift onto these plants should be rinsed off immediately with water.

STORAGE AND DISPOSAL

STORAGE: Keep out of reach of children and animals. Store in original containers only. Protect from freezing. Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.

DISPOSAL: PRODUCT – Partially-filled plastic bottle: Securely wrap original plastic bottle in several layers of newspaper and put in trash.

CONTAINER – Do not reuse empty plastic bottle for concentrate. Wrap plastic bottle and put in trash.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Desirable plant injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of Nufarm or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Nufarm and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. NUFARM MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Nufarm, and Buyer assumes the risk of any such use.

To the extent allowed by law, Nufarm or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF NUFARM AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF NUFARM OR SELLER, THE REPLACEMENT OF PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

(RV042707)

Menace is a trademark of of Nufarm Americas Inc.